



भा.कृ.अनु.प. - केन्द्रीय रोपण फसल अनुसंधान संस्थान
प्रादेशिक केन्द्र, कृष्णपुरम (डाक), कायमकुलम, केरल 690 533, भारत
ICAR - CENTRAL PLANTATION CROPS RESEARCH INSTITUTE
REGIONAL STATION, KRISHNAPURAM (PO), KAYAMKULAM 690 533,
KERALA, INDIA



(An ISO 9001:2008 Certified Institution)

Phone : PABX : 0479-2442104; 0479 - 2442160 Head : 0479-2442004 Fax: 0479-2445733
Email: headrskgm.cpcpri@icar.gov.in, headcpcpri@yahoo.co.in Website: http://www.cpcpri.gov.in/

F.No. 1(19)Non-Plan/Stores-16

Dated:04-02-2017

सेवा मे,

प्रेषित/Despatched
ON 04/02/17

Sub: - Quotation for supply of pH meter -reg

Sir,

Sealed Quotations are invited from the reputed suppliers/dealers for supply of pH meter to this station as per the details given below:-


Sl.No.	Specification	Qty.
1.	Temperature Sensitive digital pH Meter	1 No.

The quotations should confirm to the following Terms & Conditions:

1. The rates quoted should be valid for a minimum period of 90 days from the date of receipt of quotation
2. Complete description, specification of the item quoted should be given
3. Should indicate the rate of ST/CST/ /VAT etc. if charged extra
4. Should specify whether the item quoted are under DGS & D rate contract. If so, details of the rate should be furnished with the quotation .
5. Quotation should clearly indicate the point of supply such as Ex-works/FOR despatch Station/FOR Despatch Station/FOR destination
6. TRANSIT INSURANCE: The purchaser will not pay separately for transit insurance and the supplier will be responsible until the entire stores contracted to arrive in good condition at destination.
7. Time required for effecting supply upon receipt of supply order should be indicated
8. Requirement of warranty is minimum two years from the date of receipt of the item.
9. Payment will be made only after satisfactory receipt of the item. No advance payment/part payment is admissible as per rules
10. **Quotation received after the due date will not be entertained.**
11. The item ordered should be supplied in a lot. Part supply will not be accepted
12. The right to accept or reject the quotation rests with the Head ICAR- CPCRI(RS), Kayamkulam

Your sealed quotation superscribed as "Quotation for supply of pH meter due on 25.02.2017" should be reached to this office on or before 25.02.2017.

Yours faithfully,


(Pradeepkumar Vasu)
Asst. Administrative Officer