

## भा.कृ.अनु.प -.केंद्रीय रोपण फसल अनुसंधान संस्थान, अनुसंधान केंद्र, किंदु, 🛮 नेष्टना-

## 574230, कर्नाटका, भारत





Email: sicrckidu.cpcri@icar.gov.in Ph.08251-262221, 262355

Website: http://www.cpcri.gov.in/

Fax: 08251 262221

F. No. 302-03//17-18 R&MP Stores

Date: 07.03.2018

To

Sub: Inviting quotations for "Supply of PVC pipes/fittings" at ICAR- CPCRI RC, Kidu- reg.

Sirs,

5 ने 250, कामीटको, असर त

भा.क.अल.प - केटीय रोपण फ्रांशत गलावता

The following items are urgently required by this Research Centre. If you are in a position to supply the items from your ready stock, please quote your lowest rate as per the specifications shown. The quotation should reach this office alongwith terms and conditions, if any, before 19.03.2018(3.00 p.m.) in a sealed cover superscribing as "Quotation for supply of PVC pipes/fittings due on 19.03.2018". All the items should be of ISI mark. The tenders will be opened on the same day at 3.30 p.m. in the presence of available tenderers.

Si. No.	Description of items to be supplied	Unit / nos.	Total quantity required	Rate per unit quoted(Rs.)	Total quoted amount (Rs.)
1.	6" dia x 4kg/cm PVC pipe		700 metres		
2.	6" sluice valve and fittings to suit to 6" PVC pipe		3 Nos.		
3.	6" PVC Bend	7 74	6 Nos.		
4.	PVC Solvent cement		6 litres		
5.	Air valves with fittings suitable to 6" pipe		4 Nos.		

## The following items are urgently required by the The quotation should conform to the following conditions:

The quotation should reach this office alonewith terms and positions

- p.m1. EARNEST MONEY Rs.16000/-must be enclosed by Demand Draft drawn in favour of "ICAR UNIT 19.03.2 CPCRI KASARAGOD" on SBI CPCRI BRANCH, KASARAGOD alongwith the quotation.
- p. 6.2.0 The rate quoted should be valid for a minimum period of 90 days from the date of receipt of quotation.
  - 3. Complete description, specification of the items quoted should be given.
  - 4. Quotation should clearly indicate the point of supply such as ex-works/FOR dispatch station / FOR destination. To proce
- 2. 5. Time required for effecting supply upon receipt of Supply Order should be indicated.
- 6. The rate of GST/CST/SC/ED etc., if any, charges extra, should be indicated.
- 6" PVC Bend PVC Solvent cement
- Air valves with fittings suitable to 6" place

The quotation should conform to the following a print

ici. Par supply will not be accepted.

will not pay separately for transit insurance and the entire stores contracted delivered in good condition a

entertained.

proce order on the successful bidder for additional quantity. was at the rate quoted. Similarly the purchaser also reserves 7. Guarantee offered for the items should be indicated from the date of receipt of items /date of

- installation of equipment.
- 8. Should specify whether the items quoted are under DGS&D rate contract. If so details of the rate contract should be furnished with quotation. ( Scientific & Industrial Research (DSIR), Gowt
- 9. Payment will be made only after satisfactory receipt of the items. No advance payment/part payment is admissible as per rules. If the successful bidder fails to execute the order within the stipulated period after placing the order, the order will be cancelled and the security deposit will be forfeited. is a recommon about rests with the Scientist Incharge CICAR-G PCRI
- 10. Quotation received after the due date will not be entertained.
- 11. The items ordered should be supplied in a lot. Part supply will not be accepted.
- 12. TRANSIT INSURANCE: The purchaser will not pay separately for transit insurance and the supplier will be responsible until the entire stores contracted delivered in good condition at destination. - or before 19.03.2018 (3.00 PM)
  - 13. TIN/VAT/ST/GST Reg. no. should be indicated in the Quotation.
  - 14. The purchaser reserves the right to place order on the successful bidder for additional quantity (30%) of the quantity offered by them at the rate quoted. Similarly the purchaser also reserves the right to reduce the number of items to be supplied, as against the quantity indicated in thetender notice.
  - 15. Incomplete quotations shall summarily be rejected.
  - Asst. Administrative Officer 16. This institute is registered with the Department of Scientific & Industrial Research (DSIR), Govt. of India for purposes of availing custom duty exception in terms of Government Notification No.51/96-Customs dated 23 July 1996 and central excise duty exemption in terms of Government Notification No.10/97-Central Excise dated I March 1997.
  - 17. The right to accept or to reject the quotation rests with the Scientist Incharge , ICAR-C PCRI Research Centre, Kidu, Nettana PO.

Your sealed quotation super scribed as "Quotation for supply of PVC pipes/fittings due on 19.03.2018" may be sent to The Scientist in Charge, ICAR- CPCRI Research Centre, Kidu, Nettana P O, DK, Karnataka, PIN-574 230 so as to reach this office on or before 19.03.2018 (3.00 PM)

Yours faithfully,

**Asst. Administrative Officer** For Scientist Incharge